



Optiwave™ Series Double Door Wall Mount Termination Boxes

Overview

The Fibertronics Inc. Optiwave™ Wall Mount Termination Boxes provide a secure and compact solution for terminating fiber optic cables in indoor environments. Compatible with LGX® style adapter plates, these wall-mountable units are ideal for structured cabling in commercial, enterprise, and residential applications. Each model is designed with built-in fiber management tools such as slack spools and cable rings to ensure clean and efficient installations. The units' lockable doors provide added security, making them ideal for telecommunications rooms and high-security networks.

Key Features

- Compact Design
- LGX® Compatibility
- Secure Access: Lockable outer and keyed inner doors
- Built-in Fiber Management
- Durable Construction
- Quick Installation

Typical Applications

- Data Centers
- Telecommunications Rooms
- Enterprise Networks
- Industrial Facilities
- Residential Fiber Installations

Technical Specifications

Material	16-Gauge Powder-Coated Steel
Color	Black
Mounting Style	Wall Mountable
Door	Dual Outer Door 1 Door with Keyed Lock 1 Door with Padlock Option (Padlock not included)
RoHS Compliant	Yes

Accessories

- 2 Keys
- Cables Ties (amount varies depending on part)
- Grommets (amount varies depending on part)
- Cable Management Rings (amount varies depending on part)
- Location Label
- Laser Warning Label
- Grounding Screw

**Please Note: Mounting hardware is not included



Optiwave™ Series Double Door Wall Mount Termination Boxes

WTB-FWM-012

Wall Mount Termination Box with Double Door - Lockable -
 Includes x1 Slack Spools - Accepts x2 LGX Adapters Plates




WTB-FWM-6202

Wall Mount Termination Box with Double Door - Lockable -
 Includes x2 Slack Spools - Accepts x2 LGX Adapters Plates



WTB-FWM-6004

Wall Mount Termination Box with Double Door - Lockable -
 Includes (x2) Slack Spools - Accepts (x4) LGX Adapters Plates



WTB-FWM-6204

Wall Mount Termination Box with Double Door - Lockable -
 Includes x1 Slack Spools - Accepts x4 LGX Adapters Plates



WTB-FWM-6209

Wall Mount Termination Box with Double Door - Lockable -
 Includes x4 Slack Spools - Accepts x9 LGX Adapters Plates



Optiwave™ Series Double Door Wall Mount Termination Boxes

WTB-FWM-6012

Wall Mount Termination Box with Double Door - Lockable -
 Includes x1 Slack Spools - Accepts x12 LGX Adapters Plates



Configurations, Dimensions, & Capacity

Part Number	Height (Inches)	Width (Inches)	Depth (Inches)	Weight (Unloaded) (lbs.)	Slots for Adapter Plates/Cassettes	Number of Slack Spools
WTB-FWM-012	6.5	12.0	4.25	7.2	2	1
WTB-FWM-6202	10.5	12.5	4.0	7.2	2	2
WTB-FWM-6004	11.5	14.25	4.25	10.6	4	2
WTB-FWM-6204	17.25	21.25	5.0	7.4	4	1
WTB-FWM-6209	17.25	21.25	5.0	17.9	9	4
WTB-FWM-6012	20.25	16.25	6.5	20.6	12	1