





FOTB-X21D

16 Adapter Slot, 24 Splice Termination Box, 18 Ports

FIBERTRONICS 



A very versatile, lockable, surface-mounting fiber optic termination box

Fiber Optic Termination Boxes are great for joining fiber optic cable and pigtails. By providing a safe and secure housing they protect fiber optic splices and enable easy distribution. They are primarily used within the telecommunications industry and network equipment rooms.


Product Features

- Lockable
- Small and light-weight
- Reliable and durable
- Accommodates SC & LC Adaptors
- Anti-UV, water-proof, dust-proof, anti-aging, protection level up to IP54
- 2 Cable Ports (for cables with a max diameter of 16mm), 16 drop cable ports
- 1x8 or 1x16 PLC Splitter
- 2 Inlet Ports & 16 Outlet Ports
- Grounding device included
- Ability to store uncut cables

16 Adapter Slot, 24 Splice, Termination Box with 18 Ports

FOTB-X21D

All measurements are in millimeters unless otherwise stated



Technical Specifications

Adapter Capacity	16 Adapters
Splice Trays	01 Splice Tray
Splice Capacity	24 Splices
Ports	2 Input Ports Ø12mm (0.47"), 16 Output Ports Ø3mm (0.11")
Material	Polycarbonate Plastic
Height	305mm (12")
Width	236mm (9.29")
Depth	100mm (3.93")
Color	Gray

Accessories

Below is a list of the accessories that are included with this product.

Keys:	2
Cable Ties:	12
Tape Rolls:	1
Splices:	16
Screws:	4
Expansion Anchors:	4
Cable Tubes:	2
Rubber Rings:	1 x Pack

Applications

- FTTH Access Networks
- Telecommunication Networks
- CATV Networks
- Data Communicatons Networks
- Local Area Networks
- Wall-mounted, Indoor or Outdoor